

This Page Is Inserted by IFW Operations  
and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representation of  
The original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning documents *will not* correct images,  
please do not report the images to the  
Image Problem Mailbox.**

PCT


WORLD INTELLECTUAL PROPERTY ORGANIZATION  
International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 7 : <b>G06F 3/033, G07F 19/00</b>		<b>A1</b>	(11) International Publication Number: <b>WO 00/28407</b> (43) International Publication Date: 18 May 2000 (18.05.00)
(21) International Application Number: <b>PCT/GB99/03685</b> (22) International Filing Date: 8 November 1999 (08.11.99) (30) Priority Data: 9824763.8 11 November 1998 (11.11.98) GB (71) Applicant (for all designated States except US): NCR INTERNATIONAL, INC. [US/US]; 1700 South Patterson Boulevard, Dayton, OH 45479 (US). (72) Inventor; and (75) Inventor/Applicant (for US only): HOLMES, Anthony [GB/GB]; 14 Bank Avenue, Dundee DD3 8NY (GB). (74) Agent: WILLIAMSON, Brian; NCR Limited, International Patent Department, 206 Marylebone Road, London NW1 6LY (GB).			(81) Designated States: BR, CN, JP, US, ZA, European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE).  Published With international search report.

(54) Title: METHOD AND APPARATUS FOR SHOWING USER SELECTABLE OPTIONS ON THE DISPLAY SCREEN OF A DATA PROCESSING APPARATUS



(57) Abstract

The present invention relates to a method and apparatus for showing user selectable options on the display screen of a data processing apparatus. The data processing apparatus includes a data processor, a display device incorporating a display screen, a display device driver, user entry means such as a mouse, keyboard or touch screen entry, and programming means to control the data processing apparatus. The programming is adapted to operate the display device driver to depict a control object or icon defining a data processing operation. The entry means is operable by the user to cause the system to perform the operation defined by the control object. The depiction of the control object comprises forward and reverse successions of images in which the amount of picture detail of the depiction is increased progressively through the succession of images and subsequently reduced progressively. The control object is thus made to appear to grow on the screen and subsequently to shrink from the screen.

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

Method and apparatus for showing user selectable options on the display screen of a data processing apparatus.

Data processing apparatus in general use employs a data  
5 processor, a display device incorporating a display  
screen and a display driver to present images on the  
display screen. Such a general configuration of data  
processing apparatus is to be found in a wide variety of  
environments and is used for personal computers, self-  
10 service terminals, automated teller machines and the  
like. In many applications of such data processing  
apparatus the user is confronted by images on the screen  
which allow the user to choose from a succession of menus  
of options. Each menu will allow the user to select one  
15 or more options so as to cause the apparatus to perform  
the selected process or processes. The selection of an  
option may be made in a variety of ways including  
selection by a mouse, by keyboard or by touching the  
screen so as to select an icon representing the option.

20

The images which are presented to the user should give a  
clearly recognisable indication of the options that are  
being made available. In machines such as self-service  
terminals or automated teller machines used by the  
25 general public, the manner in which attention is drawn to  
the individual icons in the menu becomes important. The  
screen background, layout and design of individual icons  
all contribute to ease of use of the machine.

30 It is the aim of the present invention to provide an  
improvement in the operation of a display screen included

in data processing apparatus to show different data processing options to the user.

According to the present invention, there is provided a  
5 method of operating a data processing system including a  
data processor, a display device incorporating a display  
screen, a display device driver, user entry means and  
programming means to control the data processing  
10 apparatus, the method comprising operating the display  
device driver to depict a control object defining a data  
processing operation, and controlling the system through  
the user entry means to perform the operation defined by  
the control object, the depiction of the control object  
comprising a forward succession of images in which the  
15 amount of picture detail of the depiction is increased  
progressively through the succession of images.

Further, according to the present invention, there is  
provided data processing apparatus including a data  
20 processor, a display device incorporating a display  
screen, a display device driver, user entry means and  
programming means to control the data processing  
apparatus, the programming means being adapted to operate  
the display device driver to depict a control object  
25 defining a data processing operation, the entry means  
being operable by the user to cause the system to perform  
the operation defined by the control object, the  
depiction of the control object comprising a succession  
of images in which the amount of picture detail of the  
30 depiction is increased progressively through the  
succession of images.

The invention will now be described, by way of example,  
with reference to the accompanying drawings in which;

Figure 1 shows a data processing system embodying the  
5 present invention,

Figure 2 is a diagram of programming for the system of  
Figure 1,

10 Figure 3 is a flow diagram of steps used in the operation  
of the system of Figure 1, and

Figure 4 shows a progression of images produced on a  
display screen incorporated in the system of Figure 1.

15

In Figure 1, a central processor 10 incorporates a read-  
only memory 10a. The central data processor is connected  
to a data bus 11. A display device 12, a user interface  
13, a random access memory 14 and a communications  
20 interface 15 are also connected to the data bus 11. The  
data processor 10 is programmed by an operating system  
accessible from the random access memory 14 and supplied  
to the ROM 10a by way of the data bus 11 in a manner  
which is generally well known in the art. The programming  
25 of the data processor includes drivers which enable the  
data processor to communicate with the display device 12,  
the user interface 13 and the communications interface 15  
over the data bus 11.

30 The display device 12 is a cathode ray tube monitor  
although the invention may be practised with any suitable  
display device, including liquid crystal display devices,

which are capable of providing the user with a display to monitor the operation of the apparatus. In the preferred embodiment of the invention, the display device 12 is a touch screen display device which enables the user to make selections from menus of options displayed by the display device. Such touch screen display devices are well known in the data processing art.

The user interface 13, which includes a keyboard and mouse capable of operating a cursor displayed on the display, provide an additional means enabling the user to make selections from menus of options displayed by the display device. Other user interface options for practising the invention include voice actuated entry means enabling the user to make entries to the data processing means and speaker outputs providing the data processing means with the ability to communicate requests for information to the user.

The communications interface 15 includes a modem or other electronic communication device for electronically communicating data into the data processing apparatus or communicating data from the data processing apparatus.

Referring to Figure 2, it will be seen that the programming of the data processing apparatus of Figure 1 includes an operating system to control the basic operation of the apparatus together with drivers to operate the peripheral devices including the display device 12, the user interface 13 and the communications interface 15. One or more application programs are provided to perform the tasks required of the data

processing system. The application programs include menu driven applications in which the user is presented on the display screen 12 with control objects or icons. Each control object or icon represents a choice which the user  
5 can make from the menu. In response to the selection by the user of one or more control objects or icons, the application program responds to the selection, completes the requested data processing step and moves to the next menu.

10

In a specific embodiment of the invention, the data processing system constitutes an automated teller machine at which the user can conduct financial transactions such as cash withdrawal. One menu displayed on the screen of  
15 the display device 12 includes control objects or icons representing choices to be made regarding whether the user wishes to withdraw cash or undertake alternative financial transactions. Another menu displayed on the screen of the display device 12 includes control objects  
20 or icons representing different amounts which can be selected for withdrawal. One such control object or icon is shown in Figure 4.

Figure 4 shows an individual control object or icon the  
25 picture detail of which changes progressively. In a first image 40a, no picture detail of the icon is presented. In successive images from the first image 40a through successive intermediate images 40b, 40c, 40d, 40e, 40f, 40g, 40h up to the final image 40i, the amount of picture  
30 detail increases progressively. The switch from the first image 40a to the final image 40i is effected progressively by stepping through the succession of



intermediate images 40b - 40h in which the amount of picture detail of selectable options is changed progressively.

5 The control object or icon shown in Figure 4 could be the sole control object or icon displayed on the screen. Such an icon may represent a request to enter a PIN number into an automated teller machine. More usually, however, the control object or icon will constitute one of a  
10 number or group of different such icons each of which represents a different user selectable option in a menu of options. A background picture or image is displayed on the screen under the control of the application program and the progression of images of the control objects or  
15 icons is superimposed on the background image. By this means, each control object or icon is made to appear to the user as an animation in which the picture detail of the object or icon grows on the background image on the display screen instead of appearing instantaneously. The  
20 time period over which the object or icon appears to grow on the screen is a matter of design choice and depends on the capacity of the system to generate the data required to form the intermediate images in the animation. A suitable time scale includes a period of from 2 seconds  
25 to 10 seconds. The number of intermediate images relating to the same control object or icon, in the preferred embodiment, would make the animation appear to the human eye to be a continuously changing image without perceptible discontinuities. It is however within the  
30 contemplation of the invention that the number and timing of intermediate images represents a progression in which

some discontinuity between successive images can be observed.

It is to be noted that the animation is not a mere  
5 increase in the size of the control object or icon. Nor  
is it a mere moving indication against a scale. The  
progression of images, importantly, concerns the actual  
picture detail in the control object or icon. This gives  
the images an important advantage in the eyecatching  
10 manner with which the images are presented. This  
significantly enhances the ability of the user to  
perceive the control objects or icons and so identify the  
options which are represented.

15 The progression shown in Figure 4 is of a control object  
or icon which is made to appear with progressively  
increasing picture detail. This will be referred to as a  
forward animation. The images in Figure 4 can however be  
animated so that the first image in the progression  
20 begins with the image 40i, proceeds through the  
intermediate images 40h, 40g, 40f, 40e, 40d, 40c and 40b  
in that order and concludes with the image 40a. Such an  
animation makes the picture detail of the control object  
or icon shrink from the display screen. An animation in  
25 this direction will be referred to as a reverse  
animation.

The forward and reverse animations are generated by means  
of animation program modules which are called up by the  
30 application program and are shown as linked to the  
application program in the diagram of Figure 2. The

modules provide image formats which may be bitmap formats or digital video formats.

Control of the execution of the application program is  
5 linked with the execution of the animations and will now  
be described with reference to Figure 3. In step 20 the  
application program causes the system to initiate a  
request for an input from the user. Such a request may be  
for a single input such as a PIN number or may be a  
10 request to make a selection from a menu of options. In  
step 21, the application program calls for the relevant  
animation module. Control is passed to the requested  
animation module to run a forward animation sequence so  
as to make the picture detail of one or more control  
15 objects or icons appear to grow on the display screen. In  
step 22, the last image in the animation is put onto the  
screen and in step 23 control is passed back to the  
application program. The user is now able to make an  
entry through the control object or a selected one of a  
20 group of the objects on the screen.

In step 24 the application program checks whether the  
user has made an entry. Once a user selected object is  
identified, the control objects or icons on the screen  
25 are disabled in step 25 so as to prevent a mistaken  
double entry. In step 26 the application program calls up  
an animation module to run a reverse animation for the  
displayed control object or objects. Once the last image  
in the reverse animation is reached in step 27, the  
30 control is passed back to the application program once  
more so as to move on to the next request for user entry.

## CLAIMS

1. A method of operating a data processing system  
5 including a data processor, a display device  
incorporating a display screen, a display device driver,  
user entry means and programming means to control the  
data processing apparatus, the method comprising the  
steps of operating the display device driver to depict a  
10 control object defining a data processing operation, and  
controlling the system through the user entry means to  
perform the operation defined by the control object, the  
depiction of the control object comprising a forward  
succession of images in which the amount of picture  
15 detail of the depiction is increased progressively  
through the succession of images.
2. A method as claimed in claim 1, comprising the  
further step of operating the display device to display a  
20 reverse succession of images depicting the control object  
in which the amount of picture detail of the depiction is  
decreased progressively through the reverse succession of  
image.
- 25 3. A method as claimed in claim 1, wherein the  
depiction of the control object comprises a forward  
succession of images which appears to the human eye to be  
a continuously changing image without perceptible  
discontinuities.
- 30 4. A method as claimed in claim 2, wherein the  
depiction of the control object comprises forward and

reverse successions of images each of which appears to the human eye to be a continuously changing image without perceptible discontinuities.

5 5. A method as claimed in any one of the preceding claims in which the control object constitutes one of a group of such control objects, each object defining a different selectively operable data processing operation.

10 6. A method as claimed in any one of the preceding claims applied to controlling the operation of a data processing system which constitutes an automated teller machine.

15 7. Data processing apparatus including a data processor, a display device incorporating a display screen, a display device driver, user entry means and programming means to control the data processing apparatus, the programming means being adapted to operate  
20 the display device driver to depict a control object defining a data processing operation, the entry means being operable by the user to cause the system to perform the operation defined by the control object, the depiction of the control object comprising a forward  
25 succession of images in which the amount of picture detail of the depiction is increased progressively through the succession of images.

8. Apparatus as claimed in claim 7, wherein the  
30 programming means is further adapted to operate the display device to display a reverse succession of images depicting the control object in which the amount of

picture detail of the depiction is decreased progressively through the reverse succession of image.

9. Apparatus as claimed in claim 7, wherein the depiction of the control object comprises a forward succession of images which appears to the human eye to be a continuously changing image without perceptible discontinuities.



10. Apparatus as claimed in claim 8, wherein the depiction of the control object comprises forward and reverse successions of images each of which appears to the human eye to be a continuously changing image without perceptible discontinuities.

11. Apparatus as claimed in any one of claims 7 to 10, in which the control object constitutes one of a group of such control objects, each object defining a different selectively operable data processing operation.

12. Apparatus as claimed in any one of claims 7 to 11 which constitutes an automated teller machine.


13. A method of operating a data processing system including a data processor, a display device incorporating a display screen, a display device driver, user entry means and programming means to control the data processing apparatus, the method being substantially as hereinbefore described with reference to Figures 1, 2 and 3 of the accompanying drawings.

14. Data processing apparatus including a data processor, a display device incorporating a display screen, a display device driver, user entry means and programming means to control the data processing
- 5 apparatus, the apparatus being substantially as hereinbefore described with reference to Figures 1, 2 and 3 of the accompanying drawings.


**FIG. 1****FIG. 2**



2/3

**FIG. 3**

**FIG. 4**



# INTERNATIONAL SEARCH REPORT

International Application No

PCT/GB 99/03685

**A. CLASSIFICATION OF SUBJECT MATTER**  
IPC 7 G06F3/033 G07F19/00

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 G06F G07F

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	EP 0 483 777 A (HEWLETT PACKARD CO) 6 May 1992 (1992-05-06) column 17, line 10 -column 18, line 18; figures 11,12 ---	1-12
X	US 5 237 651 A (RANDALL STEPHEN) 17 August 1993 (1993-08-17) column 6, last paragraph -column 7, line 31; figures 3-4C ---	1-12
X	PATENT ABSTRACTS OF JAPAN vol. 1995, no. 10, 30 November 1995 (1995-11-30) & JP 07 193890 A (TOA CORP), 28 July 1995 (1995-07-28) abstract --- -/-	1,3,5-7, 9,11,12

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

\* Special categories of cited documents :

\*A\* document defining the general state of the art which is not considered to be of particular relevance

\*E\* earlier document but published on or after the international filing date

\*L\* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

\*O\* document referring to an oral disclosure, use, exhibition or other means

\*P\* document published prior to the international filing date but later than the priority date claimed

\*T\* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

\*X\* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

\*Y\* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

\*&\* document member of the same patent family

Date of the actual completion of the international search

28 January 2000

Date of mailing of the international search report

11 02. 2000

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  
Fax: (+31-70) 340-3016

Authorized officer

Ciarelli, N

# INTERNATIONAL SEARCH REPORT

Int. l. Application No

PCT/GB 99/03685

## C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	<p>"VISUALLY AGING ICONS"</p> <p>IBM TECHNICAL DISCLOSURE BULLETIN,US,IBM CORP. NEW YORK, vol. 38, no. 2, 1 February 1995 (1995-02-01), page 235 XP000502456 ISSN: 0018-8689 the whole document</p> <p>----</p>	<p>1,3,5,7, 9,11</p>
A	<p>EP 0 677 803 A (IBM) 18 October 1995 (1995-10-18) column 13, line 31 -column 14, line 21; figure 10</p> <p>-----</p>	<p>1-12</p>

# INTERNATIONAL SEARCH REPORT

International application No.  
PCT/GB 99/03685

## Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)

This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☐ Claims Nos.:  
because they relate to subject matter not required to be searched by this Authority, namely:
2. ☒ Claims Nos.: 13,14  
because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically:  
Claims 13 and 14 are unclear. The definition of the matter for which protection is sought is not in terms of technical features, Art.6 and Rule 6.3(a) .
3. ☐ Claims Nos.:  
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

## Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:

1. ☐ As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.
2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:
4. ☐ No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

### Remark on Protest

- ☐ The additional search fees were accompanied by the applicant's protest.
- ☐ No protest accompanied the payment of additional search fees.

FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

Continuation of Box I.2

Claims Nos.: 13,14

Claims 13 and 14 are unclear. The definition of the matter for which protection is sought is not in terms of technical features, Art.6 and Rule 6.3(a) .

The applicant's attention is drawn to the fact that claims, or parts of claims, relating to inventions in respect of which no international search report has been established need not be the subject of an international preliminary examination (Rule 66.1(e) PCT). The applicant is advised that the EPO policy when acting as an International Preliminary Examining Authority is normally not to carry out a preliminary examination on matter which has not been searched. This is the case irrespective of whether or not the claims are amended following receipt of the search report or during any Chapter II procedure.

# INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/GB 99/03685

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
EP 0483777	A	06-05-1992	AU 640281 B	19-08-1993
			AU 8686491 A	07-05-1992
			CA 2054479 A	01-05-1992
			CN 1064557 A	16-09-1992
			JP 6012211 A	21-01-1994
US 5237651	A	17-08-1993	AT 125965 T	15-08-1995
			AU 2136588 A	09-03-1989
			DE 3854269 D	07-09-1995
			DE 3854269 T	18-04-1996
			EP 0375703 A	04-07-1990
			FR 2619642 A	24-02-1989
			WO 8901658 A	23-02-1989
			GB 2229301 A, B	19-09-1990
			JP 3503218 T	18-07-1991
JP 07193890	A	28-07-1995	NONE	
EP 0677803	A	18-10-1995	US 5564004 A	08-10-1996
			JP 7281864 A	27-10-1995
			US 5745715 A	28-04-1998
			US 5740390 A	14-04-1998
			US 5852440 A	22-12-1998
			US 5760774 A	02-06-1998